## GREEN HILLS PLAZA KANSAS CITY, PLATTE COUNTY, MISSOURI

# PRELIMINARY DEVELOPMENT PLAN

#### **LEGAL DESCRIPTION:**

All that part of the Southeast Quarter of Section 8, Township 51 North, Range 33 West, in Kansas City, Platte County, Missouri, being more particularly described as follows:

Commencing at the northwest corner of the Southeast Quarter of said Section 8; Thence South 0 degrees 25 minutes 48 seconds West along the west line of the southeast quarter of said section 8, a distance of 40.00 feet to a point on the south right of way line of NW Barry Road; Thence South 88 degrees 41 minutes 40 seconds East along the south right of way line of said NW Barry Road, being 40.00 feet south of and parallel with the north line of the southeast quarter of said section 8, a distance of 65.00 feet to the point of beginning of the tract of land to be described herein; Thence continuing South 88 degrees 41 minutes 40 seconds East along the south right of way line of said NW Barry Road, being 40.00 feet south of and parallel with the north line of the southeast quarter of said section 8, a distance of 961.30 feet; Thence South 0 degrees 49 minutes 43 seconds West, a distance of 6118.44 feet; Thence North 88 degrees 40 minutes 12 seconds west, a distance of 987.00 feet to a point on the east right of way line of North Green Hills Road; Thence North 0 degrees 25 minutes 48 seconds East along the east right of way line of North Green Hills Road, being 35.00 feet east of and parallel with the west line of the southeast quarter of said section 8, a distance of 588.07 feet; Thence North 45 degrees 52 minutes 06 seconds east, a distance of 42.11 feet to the point of beginning. Containing 611,050 square feet or 14.028 acres, more or less.


#### **B4 ZONING LEGAL DESCRIPTION:**

ALL THAT PART OF THE SOUTHEAST QUARTER OF SECTION 8, TOWNSHIP 51 NORTH, RANGE 33 WEST, IN KANSAS CITY, PLATTE COUNTY, MISSOURI, BEING MORE PARTICULARLY DESCRIBED AS FOLLOWS:

COMMENCING AT THE NORTHWEST CORNER OF THE SOUTHEAST QUARTER OF SAID SECTION 8; THENCE SOUTH 0 DEGREES 25 MINUTES 48 SECONDS WEST ALONG THE WEST LINE OF THE SOUTHEAST QUARTER OF SAID SECTION 8, A DISTANCE OF 407.97 FEET; THENCE SOUTH 88 DEGREES 41 MINUTES 40 SECONDS EAST, A DISTANCE OF 35.00 FEET TO A POINT ON THE EAST RIGHT OF WAY LINE OF NORTH GREEN HILLS ROAD AND THE POINT OF BEGINNING OF THE TRACT OF LAND TO BE DESCRIBED HEREIN; THENCE CONTINUING SOUTH 88 DEGREES 41 MINUTES 40 SECONDS EAST, A DISTANCE OF 347.29 FEET; THENCE NORTH 1 DEGREE 18 MINUTES 20 SECONDS EAST, A DISTANCE OF 98.92 FEET; THENCE SOUTH 88 DEGREES 41 MINUTES 40 SECONDS EAST, A DISTANCE OF 131.79 FEET; THENCE SOUTH 1 DEGREE 18 MINUTES 20 SECONDS WEST, A DISTANCE OF 64.33 FEET; THENCE SOUTH 88 DEGREES 41 MINUTES 40 SECONDS EAST, A DISTANCE OF 509.36 FEET; THENCE SOUTH 0 DEGREES 49 MINUTES 43 SECONDS WEST. A DISTANCE OF 285.10 FEET: THENCE NORTH 88 DEGREES 40 MINUTES 12 SECONDS WEST. A DISTANCE OF 987.00 FEET TO A POINT ON THE EAST RIGHT OF WAY LINE OF SAID NORTH GREEN HILLS ROAD; THENCE NORTH 0 DEGREES 25 MINUTES 48 SECONDS EAST ALONG THE EAST RIGHT OF WAY LINE OF NORTH GREEN HILLS ROAD, BEING 35.00 FEET EAST OF AND PARALLEL WITH THE WEST LINE OF THE SOUTHEAST QUARTER OF SAID SECTION 8, A DISTANCE OF 250.10 FEET TO THE POINT OF BEGINNING.

CONTAINING 277,911 SQUARE FEET OR 6.380 ACRES, MORE OR LESS.





CITY PLAN COMMISSION RECOMMENDED


**APPROVAL** 

SUBJECT TO CONDITIONS

DATE:

10-17-2017






### SHEET INDEX

<u> </u>	
COVER SHEET	1
SITE PLAN	2
GRADING & UTILITY PLAN	3
LANDSCAPE PLAN	4
SECTIONS/DETAILS	5
SECTIONS/DETAILS	6
SECTIONS/DETAILS	7
TRUCK TURNING PLAN	8
SITE LIGHTING PLAN	SLP
EXISTING CONDITIONS PLAN	EXC

#### **LOCATION MAP:**



PLATTE COUNTY, MISSOURI NOT TO SCALE

Design Guidelines (Per Line Creek Area Plan):


- Architectural materials should complement the character of the existing built environment through use of high quality, durable materials. Suggested materials include: wood, masonry, limited concrete, stone, cast
- Materials, such as imitation masonry, metal panels, vinyl siding, concrete panels, or plywood, are
- discouraged on commercial buildings. • Buildings within a development should have a coherent architectural theme in terms of mass, height,
- Buildings facing major streets should integrate architectural details to enhance the street edge and promote human scale and interest. Suggested materials and details include but are not limited to corner elements,
- awnings, window inlets, planted window boxes and articulated entries. • Primary building facades should be parallel to the sidewalk. Buildings should define a majority of the street edge. Surface parking lots are encouraged between or behind buildings.
- Where buildings are set back from the sidewalk, such areas should be treated as public spaces such as a plaza or courtyard.
- The front of all mixed-use buildings should include pedestrian-oriented elements such as: transparent display windows, outdoor seating for dining areas, public art, and pedestrian amenities such as fountains
- Locate and design large buildings to minimize windowless walls and service areas visible from public
- Include a repeating pattern on building facades that includes color change, texture change and material
- change, with at least one of the elements repeating horizontally. • Outside sales, storage, or display areas are discouraged. When permitted, such areas shall be screened
- with landscaping or enclosed with materials integral to the building architecture. • Provide a clear and consistent street edge with at least 50% of the building's "active wall" oriented toward
- the street. An "active "wall is the side of the building containing the majority of the storefronts, customer entrances, and windows.
- Provide no less than 20% window to solid wall area for portions of a building façade above the ground floor.
- Street level uses should have a transparent quality. Sidewalk traffic as well as passing vehicles should be
- able to see activity within the building. • Incorporate transparent glazing at all occupied levels of building facades oriented toward streets and
- pedestrian areas. • Provide arcades, display windows, entry areas, awnings, and other features along no less than 60% of the
- ground floor facing public streets. • Roof form, material, color, trim, and lighting should be an integral part of the building architecture. Roofs
- should not serve as attention-getting devices for signage or as an identifiable corporate image. • Locate drive-through facilities, when permitted, on the side or rear of a building away from a street.

PROJECT NO.: **DESIGNED BY:** DRAWN BY: CHECKED BY: SHEET NO. ISSUE

August 18, 2017

be photographed, traced, or copied in any manner with out the written permission of Landplan Engineering, P.A.

RO/ LAT



PLAN LEGEND:

PROPERTY LINE PROPOSED LOT LINE

ER/W EXISTING RIGHT-OF-WAY


TRASH ENCLOSURE


Landplan Engineering, P.A. 2016. This drawing is copyrighted by Landplan Engineering, P.A. This drawing may not be photographed, traced, or copied in any manner with out the written permission of Landplan Engineering, P.A.


RO, LAT

August 18, 2017 PROJECT NO.: DESIGNED BY: DRAWN BY:

CHECKED BY: ISSUE SHEET NO.







STREET TREES

1 TREE / 30 FEET OF R.O.W. FRONTAGE

310 FEET OF PLANTABLE N. GREEN HILLS RD. R.O.W. / 30 = 11

628 FEET OF PLANTABLE NW BARRY RD. R.O.W. / 30 = 21

32 TREES 32 TREES

PERIMETER PARKING LOT LANDSCAPING

10 FEET WIDE BUFFER STRIP W/ 1 TREE / 30 FEET OF R.O.W. & CONTINUOUS EVERGREEN SCREEN

19 STREET TREES USED TO SATISFY REQUIREMENT & 123 SHRUBS

**INTERIOR PARKING LOT LANDSCAPING** 

35 SF LANDSCAPE AREA / 1 PARKING SPACE 1 TREE / 5 PARKING SPACES

1 SHRUB / 1 PARKING SPACE

GROUND COVER PLANTS MUST COVER INTERIOR LANDSCAPE AREAS 198 PARKING SPACES (35 SF LANDSCAPE AREA) = 6,930 SF LANDSCAPE AREA

816.221.2234

198 PARKING SPACES / 5 = 40 TREES

198 PARKING SPACES (1 SHRUB) = 198 SHRUBS 6,942 SF OF LANDSCAPE AREA

**40 TREES** 

198 SHRUBS

GENERAL LANDSCAPING REQUIREMENTS

1 TREE / 5,000 SF OF BUILDING COVERAGE 99,025 SF OF BUILDING / 5,000 = 19

PROVIDED: 109 TREES

> **OWNER/APPLICANT/ DEVELOPER:** GH14, LLC 5775 NORTHWEST 64TH TERRACE, SUITE 203 KANSAS CITY, MISSOURI, 64151

PLANNER/ CIVIL ENGINEER/ LANDSCAPE ARCHITECT: LANDPLAN ENGINEERING 1600 GENESSEE, SUITE 400 KANSAS CITY, MISSOURI 64102

LANDSCAPE PLAN CONTACTS: PLANNER/ LANDSCAPE ARCHITECT: JOHN ERPELDING CIVIL ENGINEER: NICK HEISER


JOHN F ERPELDING NUMBER \_A-2007031955 August 18, 2017


be photographed, traced, or copied in any manner with out the written permission of Landplan Engineering, P.A.

Ш

PROJECT NO.: DESIGNED BY: DRAWN BY: CHECKED BY:

ISSUE SHEET NO.







1501 Walnut Suite 200 Kansas City, MO 64108 P 816.994.5900/5901 F

10.25.2017

**EXTERIOR IMAGES**  .A1






1501 Walnut Suite 200 Kansas City, MO 64108 P 816.994.5900/5901 F

10.25.2017

**ELEVATIONS** 







AMAI ARCHITECTURE 1501 Walnut Suite 200 Kansas City, MO 64108 AMERICO - GREEN HILLS & BARRY RD

17-110

P 816.994.5900/5901 F 10.25.2017

**EXTERIOR ELEVATIONS** 





Kansas City, MO 64108 P 816.994.5900/5901 F 10.25.2017

**ELEVATIONS**