



CITY PLAN COMMISSION

15th Floor, City Hall
414 East 12th Street
Kansas City, Missouri 64106

kcmo.gov/planning

March 10, 2023

Rachel Barth
NorthPoint Development
3315 N Oak Trafficway
Kansas City, MO 64116

Re: **CD-CPC-2022-00205** - A request to approve a Development Plan for a multi-unit development on about 19.79 acres generally located at 3350 North Holmes Street.

Dear Rachel Barth:

At its meeting on March 07, 2023, the City Plan Commission acted as follows on the above-referenced case.

Approved with Conditions

The Commission's action is only a recommendation. Your request must receive final action from the City Council. All *conditions imposed by the Commission*, if any, *are available on the following page(s)*.

PLEASE READ CONDITIONS CAREFULLY as some or all of the conditions imposed may require action on your part to proceed to the next step.

- If revised plans are required, you must make such revisions and upload the revised plans prior to proceeding to final action.
- If revised plans are not required, your request will automatically be submitted for City Council consideration.

If you have any questions, please contact me at Larisa.Chambi@kcmo.org or (816) 513-8822.

Sincerely,

A handwritten signature in black ink that reads "Larisa Chambi".

Larisa Chambi
Lead Planner



Plan Conditions

Report Date: March 10, 2023

Case Number: CD-CPC-2022-00205

Project: Ascent Apartments

Condition(s) by Aviation. Contact Mike Waller at (816) 243-3038 / Mike.Waller@kcmo.org with questions.

1. The proposed development is located in an area where the Charles B. Wheeler Downtown Airport (MKC) height zoning restrictions apply. No structure in this area should be constructed which exceeds these restrictions.

Given the potential height and proximity of this plan to MKC, the proposed development will exceed FAR Part 77, Objects Affecting Navigable Airspace, standards. The proponent/developer shall file an on-line Form 7460-1, Notice of Proposed Construction or Alteration, for permanent vertical improvements or new structures and receive a Determination of No Hazard to Air Navigation from the FAA. Temporary cranes used for construction activities extending higher than the proposed top elevation of the building will need to be evaluated for compliance with FAR Part 77 standards as well. The FAA's Obstruction Evaluation/Airport Airspace Analysis (OE/AAA) website can be accessed at <https://oeaaa.faa.gov/oeaaa/external/portal.jsp>.

It is further recommended the proponent/developer provide the FAA with a 1A survey accuracy statement assuming the highest horizontal and vertical tolerance was used for this design. This information certifies the ground elevations the developer has portrayed within the plans are to higher level of accuracy. Per OEAAA, if this accuracy statement isn't provided, an adjustment commensurate with a 50 foot vertical buffer is applied to the development. This information can be referenced at: <https://oeaaa.faa.gov/oeaaa/external/content/surveyAccuracy.jsp>

The proponent/developer is recommended to comply with Chapters 3, 4, and 5 of FAA Advisory Circular (AC) 70/7460-1, Obstruction Marking and Lighting, as amended.

Condition(s) by City Planning and Development Department. Contact Larisa Chambi at (816) 513-8822 / Larisa.Chambi@kcmo.org with questions.

2. That the developer shall submit an affidavit, prepared by an engineer licensed in the State of Missouri, verifying that all outdoor lighting has been installed in accordance with approved plans and that lighting levels do not exceed that shown on the approved lighting plan at the property lines prior to Certificate of Occupancy.
3. The developer shall submit an affidavit, completed by a landscape architect licensed in the State of Missouri, verifying that street trees have been installed in accordance with the approved street tree planting plan and are healthy prior to Certificate of Occupancy.
4. Must provide color elevations for trash enclosures, the enclosures shall match the building materials of the primary structure.
5. That all signage shall conform to 88-445 and shall require a sign permit prior to installation.
6. The developer shall submit an affidavit, completed by a landscape architect licensed in the State of Missouri, verifying that all landscaping required of the approved plan has been installed in accordance with the plan and is healthy prior to Certificate of Occupancy.
7. The developer shall secure approval of a project plan from the City Plan Commission prior to building permit.
8. That the developer shall be granted a deviation to 44-405-10-K Half Street Improvements along North Cherry Street.
9. The developer shall submit a site plan showing compliance with 88-420-15-H-2 regarding lighting for pedestrian safety at the time of project plan submittal.
10. Developer shall submit a lighting plan in compliance with 88-430 at the time of project plan submittal.

Condition(s) by City Planning and Development Department. Contact Larisa Chambi at (816) 513-8822 / Larisa.Chambi@kcmo.org with questions.

11. The developer shall coordinate with the North Kansas City Levee District to prepare a Macro Stormwater/Drainage Study in compliance with Section 5600 (Storm Drainage Systems & Facilities) prior to project plan submittal. The Macro Stormwater/Drainage Study shall be included in the submittal for the project plan and shall be approved by the City Plan Commission.
12. The developer shall show the location of the short term and long term bicycle storage on the site plan at the time of project plan.
13. The developer shall secure approval of a project plan from the City Plan Commission prior to building permit.
14. The developer shall include a detailed list of all landscaping materials including the varieties of native plants in the "native mix".
15. The enclosed pipe system along North Cherry Street runs into the District right-of-way. The developer shall ensure that the enclosed pipe system along Cherry receives all necessary permits through USACE, with acceptance contingent upon a vote by the Board of Supervisors of the North Kansas City Levee District.
16. The developer shall clearly label if the proposed basin is wet or dry on all the plans included for the project plan.
17. The developer shall comply with KCMO's Division V Section 5600 Storm Drainage Systems and Facilities and submit a revised preliminary Stormwater Drainage Study with required corrections to pages 13, 17, 18, 21, 22, 23, 23, 25 of the plan to the North Kansas City Levee District and receive approval of the plan at the time of Project Plan submittal.
18. Upon approval of the preliminary stormwater drainage study and prior to issuance of permits, the District and USACE will require the following steps to be completed:
 - a. Update to the stormwater drainage study (SDS) to correspond to the final design plans (if needed). At the time of project plan submittal.
 - b. Review of the SDS and final design plans by the NKC Levee District to confirm they align with updated SDS or preliminary SDS. – at the time of project plan submittal.
 - c. Any work within the District's right-of-way must be approved by a vote by the NKC Levee District Board of Supervisors. This is done in conjunction with the approval of the access agreement or easement noted in item d.
 - d. Any work within the District's right-of-way will require an Easement or Access Agreement with the NKC Levee District (for the work on the District's property).
 - e. Any work within the District's right-of-way will require submittal to the USACE and receipt of a Section 408 permit. This submittal should be made near the end of the design process.
19. The applicant shall widen the cul de sac of North Kenwood to 50 feet (diameter) or whatever the widest is that is feasible if less than 50 feet.

Condition(s) by City Planning and Development Department. Contact Terry Thomas at (816) 513-2510 / Terry.A.Thomas@kcmo.org with questions.

20. The developer shall submit verification of vertical and horizontal sight distance for the drive connection to public right-of-way to the Land Development Division and make improvements to ensure local jurisdiction and/or minimum AASHTO adequate sight distance standards are met, prior to issuance of any certificate of occupancy.
21. That full street improvements to North Holmes Street shall be made including curbs and gutters, sidewalks, street lights, relocating any utilities as may be necessary and adjusting vertical grades for the road, etc., and obtaining required permit from Land Development Division for said improvement prior to recording the plat or prior to issuance of a Building Permit, whichever occurs first.
22. The developer shall submit construction plans in compliance with adopted standards for all improvements required by the traffic study approved by the Public Works Department, and shall secure permits for those improvements as required by the Land Development Division, prior to recording the plat.
23. The owner/developer must submit plans for grading, siltation, and erosion control to Land Development Division for review and acceptance, and secure a Site Disturbance permit for any proposed disturbance area equal to one acre or more prior to beginning any construction activities.
24. The developer must pay impact fees as required by Chapter 39 of the City's Code of ordinances as required by the Land Development Division.

Condition(s) by City Planning and Development Department. Contact Terry Thomas at (816) 513-2510 / Terry.A.Thomas@kcmo.org with questions.

25. The developer must secure permits to extend public sanitary and storm water conveyance systems to serve all proposed lots within the development and determine adequacy of receiving systems as required by the Land Development Division, prior to recording the plat or issuance of a building permit whichever occurs first.
26. The developer must grant a [BMP and/or Surface Drainage Easement] to the City as required by the Land Development Division, prior to recording the plat or issuance of any building permits.
27. The developer must submit a storm drainage study prepared by a Missouri-licensed civil engineer to the Land Development Division showing compliance with current adopted standards in effect at the time of submission, including Water Quality BMP's, to the Land Development Division for review and acceptance for the entire development area, and submit Micro storm drainage study with each subsequent Plat or Phase showing compliance with the approved Macro and adopted standards. The developer shall secure permits to construct any improvements as necessary to mitigate impacts from rate, volume, and quality of runoff from each proposed phase, prior to recording the plat or prior to issuance of a Building Permit, whichever occurs first as required by the Land Development Division. The developer shall coordinate the development of the storm drainage study with, and allow for review by, the North Kansas City Levee District.

Condition(s) by Fire Department. Contact Michael Schroeder at (816) 513-4604 / michael.schroeder@kcmo.org with questions.

28. Buildings equipped with a fire standpipe system shall have an operable fire hydrant within 100 feet of the Fire Department Connection (FDC). (IFC2018 § 507.5.1.1)
29. The project shall meet the fire flow requirements as set forth in Appendix B of the International Fire Code 2018. (IFC-2018 § 507.1)
30. New buildings shall have approved radio coverage for emergency responders within the building based on the existing coverage levels of the public safety communication systems utilized by the jurisdiction, measured at the exterior of the building. This section shall not require improvement of the existing public safety communication systems. (IFC 2018 510.1) and (NFPA1221)
31. Fire hydrant distribution shall follow IFC-2018 Table C102.1

Fire hydrants shall be installed and operable prior to the arrival of any combustible building materials onto the site. (IFC-2018 § 501.4 and 3312.1; NFPA -2013 § 8.7.2)
32. (Due to the size of this project and the response time for the fire department we suggest another entrance off of Cherry St.) Required fire department access roads shall be an all weather surface (IFC-2012: § 503.2.3) and Fire Department access roads shall be provided prior to construction/demolition projects begin (IFC-2018 § 501.4 and 3310.1; NFPA 241-2013 § 7.5.5) and required fire department access roads shall designed to support a fire apparatus with a gross axle weight of 85,000 pounds. (IFC-2018: § 503.2.3)
33. Aerial Fire Apparatus access roads shall be provided for any building that is 30 feet in height or greater. Aerial Fire Apparatus Roads are a minimum 26 feet wide, at least 15 feet away from the building but not more than 30 feet from the structure (IFC-2018 § D105).
34. The turning radius for fire department access roads shall be 30 feet inside and 50 feet outside radius. (IFC-2018: § 503.2.4)
35. Shall provide fire lane signage on fire access drives.
36. The proposed building shall have a fire department access road within 150 feet of any exterior portion of the structure. (IFC-2018: § 503.1.1)

Condition(s) by Parks & Recreation. Contact Richard Sanchez at (816) 513-7678 / Richard.Sanchez@kcmo.org with questions.

37. As noted on the plans on sheet C200, the developer is responsible for payment of cash-in-lieu of Parkland Dedication in accordance with 88-408. The amount due shall be based upon the (2022) acquisition rate of (\$64,220.18) per acre. This requirement shall be satisfied prior Certificate of Occupancy.
38. The developer shall submit a streetscape plan with street tree planting plan per 88-425-03 for approval by the Parks & Recreation Department's Forestry Division prior to beginning work in the public right-of-way
39. The developer shall submit plans to Parks & Recreation Department and obtain permits prior to beginning construction of any improvements located on property owned by the City of Kansas City Parks Department. Such improvements shall be installed per Parks & Recreation Department Standards.

Condition(s) by Parks & Recreation. Contact Richard Sanchez at (816) 513-7678 / Richard.Sanchez@kcmo.org with questions.

40. The developer shall submit a letter to the Parks and Recreation Department from a Licensed Civil Engineer, Licensed Architect, or Licensed Landscape Architect, who is registered in the State of Missouri, stating the condition of the sidewalks, curbs, and gutters along boulevard/parkway, which is a parks and recreation jurisdictional street. The letter shall identify state of repair as defined in Chapters 56 and 64 of the Code of Ordinances for the sidewalks, curbs, and gutters. It shall identify the quantity and location of sidewalks, curbs, gutters that need to be constructed, repaired, or reconstructed. The developer shall secure permits to repair or reconstruct the identified sidewalks, curbs, and gutters as necessary along all development street frontages, as required by the Parks and Recreation Department, prior to recording the plat/issuance of any certificate of occupancy permits including temporary certificate occupancy permits

Condition(s) by Water Services Department. Contact Heather Massey at (816) 513-2111 / heather.massey@kcmo.org with questions.

41. The developer shall ensure that water and fire service lines should meet current Water Services Department Rules and Regulations. Prior to C of O.
<https://www.kcwater.us/wp-content/uploads/2022/05/2022-Rules-and-Regulations-for-Water-Service-Lines-Final.pdf>
42. The developer shall have a water flow test done to ensure there is adequate water pressure to serve the development.
South of River contact – Sean Allen - 816-513-0318
North of River contact - Pedro Colato – 816-513-4892
43. No water service line will be less than 1-1/2” in diameter where three or more units or Commercial building will be served by one domestic service line and meter.

Condition(s) by Water Services Department. Contact Jerald Windsor at (816) 513-0413 / Jerald.Windsor@kcmo.org with questions.

44. The developer must submit water main extension drawings prepared by a registered professional Engineer in Missouri to the main extension desk for review, acceptance and contracts per the KC Water Rules and Regulations for Water main extensions and Relocations .[Show Fire Hydrants at 300’ max. spacing].
(<https://www.kcwater.us/wp-content/uploads/2022/05/2022-Rules-and-Regulations-for-Water-Main-Extensions-Final2.pdf>
)
45. The developer shall submit an analysis by a registered Professional Engineer in Missouri to verify adequate capacity of the existing water mains and verify fire flow capacity prior to the issuance of the final Plat. Depending on adequacy of the existing water mains systems, making other improvements may be required. (To confirm the South connection doesn't require a North connection.)

Condition(s) by Water Services Department. Contact Lucas Kaspar at (816) 513-2131 / Lucas.Kaspar@kcmo.org with questions.

46. The developer shall submit a Preliminary Stream Buffer plan prior to approval of the plan in accordance with the Section 88-415 requirements.
47. The developer shall submit a final stream buffer plan to the Land Development Division for approval prior to issuance of any building permits and obtain permits for the Stream Buffer prior to removal of any mature riparian species within the buffer zones due to construction activities on the site, in accordance with the Section 88-415 requirements.
48. The developer must grant on City approved forms, a STREAM BUFFER Easement to the City, as required by Chapter 88 and Land Development Division, prior to issuance of any stream buffer permits.
49. The developer must mitigate any increase in peak flow rate and total volume for storm water on the project due to sensitive downstream infrastructure.